




PRODUCT CATALOG

ST. STONE MEDICAL DEVICES PRIVATE LIMITED

a medical devices manufacturing company

- DIALYSIS CONSUMABLES
- CATHLAB ACCESSORIES
- CRITICAL CARE
- GASTROENTEROLOGY
- GENERAL DISPOSABLES
- INFUSION THERAPY
- OEM COMPONENT
- UROLOGY



Make In India-Manipur

www.stsmedicals.com | info@stsmedicals.com



A b o u t t h e company

Introduction:

St.Stone Medical Devices Private Limited was incorporated in 2012 and start it's planning for one of the biggest project in North East India. Company has started it's Official venture in 2014 by setup of Manufacturing Plant in North East India. Although as a new born company having vast vision and mission to achieve, has been granted the licence for manufacturing and Distribution of Medical Devices First time in North East India by CDSCO & State Drug Authority. We are into manufacturing & assembling of medical devices having vast range which falls under Interventional Cardiology Consumable, Nephrology, Anaesthesia and General Consumables.

Quality Accreditations:

We are Quality Certified ISO 13485:2016 and ISO 9001:2015 Accreditation Body,, CE Certification (Comp.), WHO-GMP Certification(Comp.) we are proud member of Pharmaexcil, All India Medical Device Association.

Research, Planning and Development:

As a growing company we don't have to focus only on development. But we are working on research, planning and development. Our Hardcore team member are from Developed Companies from the same industry. who join us to make this happen that quality is the basic need in healthcare industry which help us to compete by making different strategies.

Manufacturing and Distributions:

As an growing company we need to think all the parameter which are essential for the Manufacturing of Medical Devices under WHO-TRS compliance. we although understand the major and minor necessities of Manufacturing and we step on it.

Manufacturing Area:

Our Manufacturing is as per standard of WHO Guidelines. Having 0.03 Um AHU Planted in Assembling, Manufacturing Area and Testing Lab. and 0.050mAHU in Packaging, Sterilization and other areas of the premises.

Packaging Area:

Our Packing is as Classified into Class II as per WHO-TRS. Packaging Material is trans passes through Static Passboxes for much safety of the pouches and labels for not mixing and contaminations.

Sterilization:

St. Stone Having in house facility for Sterilization of Medical Device under EO Category. Sterilizer Calibration and Validation is been done in every intervals so we can assure on best quality for longer shelf life.

Distribution:

We are fastest growing distribution and exporter of Medical Disposable Consumable products. Especially in the sector of Healthcare Sector, Dialysis Consumables, Interventional Cardiology, Critical Care, and General Disposable to around 20 countries mainly African/Middle East/Asian countries, from last 6 years

St. Stone Medical Vision:

St. Stone Medical Devices Vision is to provide Quality Healthcare at affordable price to the people and making healthcare sector to be health assured. St. Stone Medical Devices is not only believing into making better Healthcare business, But it believes into making Healthier Healthcare Industry for which St. Stone Medical Devices is working into.

St.Stone Medical Mission: St. Stone Medical Devices is having aim to be the successful partner with many Healthcare Institution. The key to our success is our high degree of innovative drive coupled with the creativity of our highly qualified workforce

T a b l e o f contents

NEPHROLOGY/DIALYSIS

Platinum+	4
Hemodialysis Catheter Kit (Short Term Hemodialysis catheter)	
Platinum+	5
Hemodialysis Permanent Catheter Kit (Long Term)	
Platinum+	6
Hemodialysis Compound Catheter Kit	
Platicath	7
Hemodialysis Catheter (Short Term Hemodialysis Catheter)	
Shinecath	8
Single Lumen Hemodialysis Catheter	
Starline	8
Blood Tubing Set/ Post And Pre- Pump	
Dressing On/Off Kit	8
Dialysis Dressing Kit (On/Off)	
Shinewire	9
Stainless Steel /Nitinol Guidewire	
Mercury+	9
Introducer Needle	
Starfist	10
Av Fistula Needle	
T-Guard	10
Transducer Protector/ Filter	
Filterset	11
Dialyzer/Low Flux/High Flux	
CAPD	12
Minicap/Transfer Set/Titanium Adaptor	

CRITICAL CARE ACCESSORIES

Centvent	13
Central Venous Catheter And Kit	
Centvent	14
PICC Line	
Mercury+	15
Spinal Needle	
Mercury+	15
Epidural Kit	

GENERAL & DISPOSABLES ACCESSORIES

Mercury+	16
Biopsy Needle	
Easegun	16
Biopsy Gun	
Skinstap	17
Skin Stapler	
Skinstap	17
Skin Stapler Pin Remover	
StarKit	18
Manifold	
Mercury+	18
Bone Marrow Aspiration Needle	
Y-Star	19
Ptca Y Connector	
Feather	20
Inflation Device And Kit	

CATHLAB ACCESSORIES

Pivot	21
Introducer Sheath	
Starband	21
Radial Compression Device	
Shinewire	22
Ptfe Coated Guidewire	
Shinewire	23
Hydrophilic Guidewire	
Shinewire	23
Zebra Guidewire	
StarKit	24
Pressure Monitoring Line/Extension Line	
StarKit	25
Control Syringe / High Pressure Line/ Braided Icsh Pressure Line	
Pressure Monitoring Kit	26
Pressure Monitoring Kit	
ST.STONE	26
Ptca Balloon Catheter	
ST.STONE	27
Angiographic &Diagnostic Catheter	
ST.STONE	28
Guiding Catheter	
ST.STONE	29
Aspiration Catheter	
ST.STONE	29
Arterial Line Catheter Kit	

T a b l e o f

contents

UROLOGY CATHETER

Urostar 30
 Double J Stent (Ureteral Stent)

Foley Catheter 30

DISPOSABLES ACCESSORIES

IV Infusion Set 31

Blood Transfusion Set 31

Three Way Stopcock 31

Three Way Stopcock with Extension Tube 31

Needle Free Extension Line 31

Pressure Monitoring Line 31

Oxygen Mask 31

Nebulizer Mask 31

Lung Exerciser 31

HME Filter 31

OEM COMPONENTS BULK

AV Fistula

Transducer Protector

Spirometer

Manifold (500 & 600PSI)

High Pressure 3-Way Stopcock

Y - Connector (Push Pull, Push Click)

Pressure Monitoring Line

OEM COMPONENTS BULK

Control Syringe.....

Extension Line

Guidewire (PTFE, SS & Nitinol).....

Catheter Mount.....

HME Filter.....

Suction Catheter.....

Infant Feeding Tube.....

Ryle's Tube

Needle Free Extension Line

Ventilator Circuit

IV Infusion Set

Biopsy Gun

Biopsy Needle

Epidural Catheter & Kit

Blood Transfusion Set.....

Spinal Needle (Quincke & Pencil)

High Pressure Line (Braided, PVC, PU)

Three Way Stopcock.....

Skin Stapler.....

Y - Shaped Needle.....

Guiding / Hollow Syringe.....

Platinum+™

Hemodialysis Catheter Kit (Short Term Hemodialysis catheter)



DOUBLE/TRIPLE LUMEN CATHETER KIT

Set Contains:

- » Polyurethane HD Straight/ Curve Catheter
- » Nitinol Core Guidewire with Advancer “J” Tip 70cm
- » Catheter Protector COVER
- » 18Ga - 7cm Introducer needle
- » 5ml Guiding Syringe
- » 5ml Disposable Syringe
- » Vessel dilators
- » Scalpel #11
- » Injection Cap
- » Patient Identification sticker
- » Drape Sheet
- » Suture Needle (3/8 Reserve Cutting) 26mm


PLATINUM+™ DOUBLE/TRIPLE LUMEN CATHETER KIT

Type	Description	Straight Code	Curve Code
DOUBLE LUMEN	6.5 FR X 13 CM	PP6513S	PP6513C
DOUBLE LUMEN	6.5 FR X 20 CM	PP6520S	PP6520C
DOUBLE LUMEN	8.5 FR X 11 CM	PP8511S	PP8511C
DOUBLE LUMEN	8.5 FR X 13 CM	PP8513S	PP8513C
DOUBLE LUMEN	11.5 FR X 13 CM	PP11513S	PP11513C
DOUBLE LUMEN	11.5 FR X 15 CM	PP11515S	PP11515C
DOUBLE LUMEN	11.5 FR X 16 CM	PP11516S	PP11516C
DOUBLE LUMEN	11.5 FR X 20 CM	PP11520S	PP11520C
TRIPLE LUMEN	12 FR X 13 CM	PPT1213S	PPT1213C
TRIPLE LUMEN	12 FR X 15 CM	PPT1215S	PPT1215C
TRIPLE LUMEN	12 FR X 16 CM	PPT1216S	PPT1216C
TRIPLE LUMEN	12 FR X 20 CM	PPT1220S	PPT1220C
TRIPLE LUMEN	6.5 FR X 13 CM	PPT6513S	PPT6513C
TRIPLE LUMEN	6.5 FR X 20 CM	PPT6520S	PPT6520C

PRE-CURVE CATHETER (DOUBLE LUMEN) ALSO AVAILABLE

Platinum+™

Permanent Catheter Kit (Long Term Hemodialysis Catheter)



LONG TERM HEMODIALYSIS CATHETER KIT

The Catheter is made from premium silicone, which has excellent biocompatibility. The dacron cuff can protect immigration of catheter and reduce the chance of CRBI (Catheter Related Bloodstream Infections). The silicone material makes catheter more floppy, hence it can minimize the trauma to the vein and reduce the incident of clot.

Kit Contains:


- » Silicone Catheter
- » Valved Peelable Introducer
- » Introducer Needle
- » Adhesive Wound Dressings
- » Scalpel
- » Guide-wire
- » Tunneler
- » Syringe
- » Gauze Sponges
- » Vessel Dilator
- » Needle with Suture
- » Herparin Caps

Type	Description	Product Code
DOUBLE LUMEN	15FR x 19CM	PPL1519
DOUBLE LUMEN	15FR x 23CM	PPL1523
DOUBLE LUMEN	15FR x 28CM	PPL1528
DOUBLE LUMEN	15FR x 33CM	PPL1533
DOUBLE LUMEN	14.5FR x 19CM	PPL14519
DOUBLE LUMEN	14.5FR x 23CM	PPL14523
DOUBLE LUMEN	14.5FR x 28CM	PPL14528
DOUBLE LUMEN	14.5FR x 33CM	PPL14533

Note: "XX" stands for Length of the catheter, The length of the catheter we can offer is 13cm to 50cm.

Platinum+™

Hemodialysis Compound Catheter Kit



DOUBLE/TRIPLE LUMEN CATHETER KIT

Set Contains:

- » Haemodialysis Double Lumen Straight/Curve Catheter
- » Nitinol Guidewire with safety tube Advancer "J" Tip 70cm
- » Introducer Needle 18G
- » Guiding Syringe 5ml
- » Disposable Syringe 5ml
- » Vessel Dilators
- » Scalpel #11
- » Injection Caps Heparin
- » Patient Job Card
- » Drape Sheet
- » SUTURE Non absorbable 3/8 Reverse Cutting (Black Braided Silk) 26mm
- » Wound Dressing Pad
- » Surgical Glove (Pair)
- » Surgical Hole Sheet (90x90cm)
- » Gauze Swap
- » Cleaner Fome with Handle
- » Cotton Ball

PLATINUM+™ DOUBLE/TRIPLE LUMEN COMPOUND CATHETER KIT

Type	Description	Straight Code	Curve Code
DOUBLE LUMEN	6.5 FR X 13 CM	PPC6513S	PPC6513C
DOUBLE LUMEN	6.5 FR X 20 CM	PPC6520S	PPC6520C
DOUBLE LUMEN	8.5 FR X 13 CM	PPC8513S	PPC8513C
DOUBLE LUMEN	8.5 FR X 13 CM	PPC8513S	PPC8513C
DOUBLE LUMEN	11.5 FR X 13 CM	PPC11513S	PPC11513C
DOUBLE LUMEN	11.5 FR X 15 CM	PPC11515S	PPC11515C
DOUBLE LUMEN	11.5 FR X 16 CM	PPC11516S	PPC11516C
DOUBLE LUMEN	11.5 FR X 20 CM	PPC11520S	PPC11520C
TRIPLE LUMEN	12 FR X 13 CM	PPCT1213S	PPCT1213C
TRIPLE LUMEN	12 FR X 15 CM	PPCT1215S	PPCT1215C
TRIPLE LUMEN	12 FR X 16 CM	PPCT1216S	PPCT1216C
TRIPLE LUMEN	12 FR X 20 CM	PPCT1220S	PPCT1220C
TRIPLE LUMEN	6.5 FR X 13 CM	PPCT6513S	PPCT6513C
TRIPLE LUMEN	6.5 FR X 20 CM	PPCT6520S	PPCT6520C

PRE-CURVE CATHETER (DOUBLE LUMEN) ALSO AVAILABLE

Platicath™

Hemodialysis Catheter (Short Term Hemodialysis Catheter)



DOUBLE LUMEN CATHETER

An Optimum Compromise between competing Factors. Where a balance between:

- » Flexibility & Firmness
- » Softness and anti kinking
- » Material and durability
- » Size and flow

Catheter Set Features:

- » Long tapered tip dilators with stopper to avoid over insertion.

Set Contains:

- » Polyurethane Catheter
- » Vessel dilators
- » Catheter Protector Pouch
- » Patient Identification sticker
- » Injection Cap

Type	Description	Straight Code	Curve Code
DOUBLE LUMEN	8.5 FR X 11 CM	PL8511S	PL8511C
DOUBLE LUMEN	8.5 FR X 13 CM	PL8513S	PL8513C
DOUBLE LUMEN	11.5 FR X 13 CM	PL11513S	PL11513C
DOUBLE LUMEN	11.5 FR X 15 CM	PL11515S	PL11515C
DOUBLE LUMEN	11.5 FR X 16 CM	PL11516S	PL11516C
DOUBLE LUMEN	11.5 FR X 20 CM	PL11520S	PL11520C



TRIPLE LUMEN CATHETER

An Optimum Compromise between competing Factors. Where a balance between:

- » Flexibility & Firmness
- » Softness and anti kinking
- » Material and durability
- » Size and flow

Catheter Set Features:

- » Long tapered tip dilators with stopper to avoid over insertion.

Set Contains:

- » Polyurethane Catheter
- » Vessel dilators
- » Catheter Protector Pouch
- » Patient Identification sticker
- » Injection Cap

Type	Description	Straight Code	Curve Code
TRIPLE LUMEN	12 FR X 13 CM	PLT1213S	PLT1213C
TRIPLE LUMEN	12 FR X 15 CM	PLT1215S	PLT1215C
TRIPLE LUMEN	12 FR X 16 CM	PLT1216S	PLT1216C
TRIPLE LUMEN	12 FR X 20 CM	PLT1220S	PLT1220C

Above mention product are specified can be customized as per demand request

Starline™

Blood Line Set For Hemodialysis

FEATURES

- » Medical grade PVC tubing
- » ETO sterilization
- » 100% test for each blood line set
- » Guarded access ports reduce infection risks
- » Superior quality, unique design and high performance
- » Material Options : DEHP PVC Compound & DEHP-FREE PVC Compound
- » Male/Female Luer locks in compliance with international standards & regulations



Shinecath™

Single Lumen Dialysis Catheter

SHORT TERM HEMODIALYSIS CATHETER

An Optimum Compromise between competing Factors. Where a balance between:

- » Flexibility & Firmness
- » Softness and anti kinking
- » Material and durability
- » Size and flow

Catheter Features:

- » Soft tip
- » Small rotating fixation wing
- » Extension lines stand repeated clamping and de-clamping
- » Multiple threads female luer end
- » Injection caps
- » Variety of sizes, lengths and shapes

Type	Description	Product Code
SINGLE LUMEN FEMORAL GREEN HUB	14GA/13.5 CM	SHC14ANG
SINGLE LUMEN FEMORAL PINK HUB	14GA/13.5 CM	SHC14AP

Dressing kit

Dialysis On/Off Kit

DRESSING KIT CONTENTS

- » Tray 01 Nos.
- » Guaze Swab 06 Nos.
- » Cotton Balls 05 Nos.
- » Premium Laminate Drape 01 Nos.
- » Protective Drape 01 Nos.
- » Tissue Napkin 01 Nos.



Customized standard pack also available on request



Shinewire™

Stainless Steel/Nitinol Guidewire

PRODUCT FEATURE

- » Accurate Measurement for Catheter Tracking
- » Easy to insert and Removal
- » Smooth Tip for insertion
- » Angle and Straight Tip
- » Smooth Advancer for Dispensing of Guidewire
- » Kink Resistance
- » Variety of sizes, lengths and shapes.
- » Safety Cover for Unwanted Hazard Damage

SHINE WIRE™ SS/NITINOL GUIDEWIRE

Type	Description	Straight Code	3mm Angle Code
GUIDEWIRE	0.025" X 50CM	SW2550ST	SW2550J
GUIDEWIRE	0.032" X 50CM	SW3250ST	SW3250J
GUIDEWIRE	0.035" X 50CM	SW3550ST	SW3550J
GUIDEWIRE	0.038" X 50CM	SW3850ST	SW3850J
GUIDEWIRE	0.021" X 70CM	SW2170ST	SW2170J
GUIDEWIRE	0.025" X 70CM	SW2570ST	SW2570J
GUIDEWIRE	0.032" X 70CM	SW3270ST	SW3270J
GUIDEWIRE	0.035" X 70CM	SW3570ST	SW3570J
GUIDEWIRE	0.038" X 70CM	SW3870ST	SW3870J

Mercury+™

Introducer Needle



- » Extremely low insertion forces
- » Easy access and reduce tissue trauma.
- » Smooth Guidewire Insertion
- » Safety Cover for Unwanted Hazard
- » Variety of sizes, lengths and shapes.

MERCURY+™ INTRODUCER NEEDLE

Type	Description	Product Code
CLEAR HUB-SQUARE	18GA/7CM	MCCH1870
PINK HUB-SQUARE	18GA/7CM	MC1870
PINK HUB-ROUND	18GA/ 7CM	MCRH1870
CLEAR HUB-SQUARE	20GA/3.81CM	MC20381
CLEAR HUB-SQUARE	21GA/7CM	MCCH2170
PINK HUB-SQUARE	21GA/7CM	MC2170



Starfist™

AV Fistula Needle

An arteriovenous (AV) Fistula is an abnormal connection between an artery and a vein normally, blood flows from your arteries to your capillaries to your veins. Nutrients and oxygen in your blood travel from your capillaries to your veins. Nutrients and oxygen in your blood travel from your capillaries to tissues in your body. With an arteriovenous fistula, blood flows

directly from the artery into a vein by passing some capillaries.

Fistula needle are a crucial link between the patient and the dialysis machine. for this reason, all needles have to meet the requirements of highest quality, safety and comfort-both from the user's as well as from the patient's perspective

STARFIST™ AV FISTULA NEEDLE

Type	Description	Product Code
FIXED WING	16G/17G Length: Standard	SF16G/SF17G
ROTATING WING	16G/17G Length: Standard	SF16G/SF17G

T-Guard

Transducer Protector/Filter

FEATURES

- » Efficient Filter
- » PTFE Membrane
- » 0.2 μM Accuracy
- » Smallest Size Packing
- » Efficient Filter for Blood Transfusion

An Optimum Compromise between competing Factors. Where a balance between:

- » Flexibility & firmness
- » Softness and anti kinking.
- » Material and durability
- » Size and flow.

T-GUARD™ TRANSDUCER PROTECTOR/FILTER

Type	Description	Product Code
0.2 μ	Hydrophobic membrane with 0.2 micron pore size.	TG 03

Above mention product are specified can be customized as per demand request

High Flux HD Series Products

Membrane Technology Patent-Better Clearance Rate and Safer
High-Flux Dialyzer

Filterset™

FS-HD150

Effective Surface Area: 1.5m²
(Multi Use)

FS-HD180

Effective Surface Area: 1.8m²
(Multi Use)

**HIGH-FLUX
POLYETHERSULFONE HOLLOW
FIBER MEMBRANE DIALYZER**



Efficient L Series Products

Membrane Technology Patent - Efficient Low - Flux Dialyzer

Filterset™

FS-HD13L

Effective Surface Area: 1.3m²
(Single/Multi Use)

FS-HD14L

Effective Surface Area: 1.4m²
(Single/Multi Use)

FS-HD16L

Effective Surface Area: 1.6m²
(Multi Use)

FS-HD18L

Effective Surface Area: 1.8m²
(Multi Use)



CAPD Accessories

MINI CAP

For Use in Peritoneal Dialysis System

Sterilization and occlusion of prolonged short tube orifice for peritoneal dialysis patients



PRODUCT CODE: MCPD08

Caps with povidoneiodine (mini cap)

In peritoneal dialysis, it is used for plugging and disinfection of external transfer set interface.

TITANIUM CLIP

The connection between the peritoneal dialysis catheter with internal diameter of 2.64mm-3.3 mm and external diameter of 4.88 mm-5.08mm and the external extension catheter for medical institutions in peritoneal dialysis treatment.



PRODUCT CODE: STSTC

Locking titanium catheter adapter The connect peritoneal dialysis catheter and extended transfer set.

TRANSFER SET FOR CAPD

Used to connect the peritoneal dialysis catheter to the peritoneal dialysis fluid pipeline to prevent or permit the flow of peritoneal dialysis fluid.



EXTENDED TRANSFER SET WITH TWIST CLAMP

The connect peritoneal dialysate system and peritoneal dialysis catheter for patients.

CENTVENT™

Central Venous Catheter And Kit



The CVC is designed for placement in the Jugular Vein in critically ill patients. It's designed for long term vascular access. For central veins catheterization (subclavian, Jugular Veins) according to Seldinger method. Atraumatic metallic conductor with a J-shaped tip Prevents the vessel wall from injury.


CENTVENT™ CENTRAL VENOUS CATHETER AND KIT

KIT CONTAINS:

- » Central Venous Catheter
- » SS Guidewire with Advancer "J" Tip 50cm
- » Wound Dressing Pad
- » 18Ga - 7cm Introducer needle
- » 5ml Guiding Syringe
- » Vessel dilators
- » Suture Wing
- » Scalpel #11
- » Injection Cap
- » Patient Identification sticker

TYPE	SIZES	LENGHT	PRODUCT CODE
SINGLE LUMEN CATHETER	14G	8CM, 13CM, 15CM 16CM, 20CM	CNTSXXYY
	16G		CNTSXXYY
	18G		CNTSXXYY
	20G		CNTSXXYY
	22G		CNTSXXYY
DOUBLE LUMEN CATHETER	4.5 FR	8CM, 12.5 CM, 13 CM, 15 CM, 16 CM, 20 CM	CNTDXXYY
	5 FR		CNTDXXYY
	6.5 FR		CNTDXXYY
	7 FR		CNTDXXYY
	8.5 FR		CNTDXXYY
TRIPLE LUMEN CATHETER	4.5 FR	8CM, 13CM, 15CM 16CM, 20CM	CNTTXXYY
	5 FR		CNTTXXYY
	7 FR		CNTTXXYY
QUAD LUMEN CATHETER	8.5 FR	8CM, 13CM, 15CM 16CM, 20CM	CNTQXXYY
			CNTQXXYY
			CNTQXXYY
			CNTQXXYY

*** XXYY Stand for Abbreviation of Fr. Size and Lenght



CENTVENT™ Peripherally Inserted Central Catheter Kit

KIT CONTAINS:

- » PICC Catheter
- » Fastener: Catheter Clamp
- » Infusion Connector
- » Injection Needle
- » Introducer Needle
- » Scalpel
- » Flat Nip

CENTVENT PICC is a peripherally inserted central catheter (basilic vein, cephalic vein, median cubital vein...) in biostable polyurethane available as single or double lumen catheter.

Peripherally inserted central venous catheter for mid- to long-term (>30 days) IV therapy and in particular :

Administration of hyperosmolar solutions, antibiotics, chemotherapy and other drugs which are irritant to the peripheral vessels

Temporary catheterisation while awaiting insertion of a long-term catheter with sub-cutaneous cuff or one with an implantable port

Patients with injuries or burns to the chest and neck, patients who are to undergo radiotherapy on this

TYPE	SIZES	LENGHT	PRODUCT CODE
SINGLE LUMEN CATHETER	3Fr	60cm	PICC0360M
	4Fr	60cm	PICC0460M
	5Fr	60cm	PICC0560M
DOUBLE LUMEN CATHETER	4.5Fr	60cm	PICC4560M

*** XXYY Stand for Abbreviation of Fr. Size and Lenght

Mercury+™

Spinal Needle



Spinal Introducer needles allow for easy insertion of the Spinal Needle and provide additional support.

Available in two types quincke and Pencil type Quincke Type needles provide a sharper bevel for low puncture force, while allowing for a tactile, reliable the precision-ground stylets are designed to minimized tissue coring and optimize gliding characteristics.

MERCURY+™ SPINAL NEEDLE

TYPE	SIZE	LENGTH	PRODUCT CODE
QUINCKE	16 G	90 MM – 150MM	SN16YYQ
	17 G	90 MM – 150MM	SN17YYQ
	18 G	90 MM – 150MM	SN18YYQ
	19 G	90 MM – 150MM	SN19YYQ
	20 G	90 MM – 150MM	SN20YYQ
	21 G	90 MM – 150MM	SN21YYQ
	22 G	90 MM – 150MM	SN22YYQ
	23 G	90 MM – 150MM	SN23YYQ
	24 G	90 MM – 150MM	SN24YYQ
	25 G	90 MM – 150MM	SN25YYQ
	26 G	90 MM – 150MM	SN26YYQ
PENCIL	25 G	90 MM – 150MM	SN25YYP
	26 G	90 MM – 150MM	SN26YYP

Mercury+™

Epidural Set



Epidural catheter is specially designed for continuous anesthesia and pain relief therapy. Catheter is made from unique plasticizer free polymer with excellent bio-compatibility. Flexible and atraumatic soft tip with three lateral eyes. Catheter is printed to determine the depth of insertion and accurate placement of catheter in the epidural space. Luer lock twist connector. Crystal clear catheter with radio opaque line.

KIT CONTAINS:

- » Epidural/tuohy Needle
- » Luer Syringe
- » Detachable Connector
- » Epidural Catheter
- » Threading Assist Guide
- » Hydrophobic Filter

MERCURY+™ EPIDURAL KIT

Type	Description	Product Code
EPIDURAL KIT	16G Length: Standard	EK16G
EPIDURAL KIT	18G Length: Standard	EK18G
EPIDURAL KIT	19G Length: Standard	EK19G
EPIDURAL KIT	20G Length: Standard	EK20G

Mercury+™ Biopsy Needle



Biopsy Needle is a cutting semi-automatic biopsy needle, easy to operate, spring-loaded and obtain complete biopsies. Delta slot cutting is intended for cutting biopsies, marked by graduation on the external needle is convenient for depth reference. Core needle is available, is convenient for operate under Bustrasonic or CT.

FEATURES

- » Small size and lightweight design give you better handing and control
- » High velocity throw and precise needle contribute to consistent, high quality samples

MERCURY+™ BIOPSY NEEDLE

Type	Description	Product Code
BIOPSY NEEDLE	14 G / 10CM	MBN1410
BIOPSY NEEDLE	14 G / 15CM	MBN1415
BIOPSY NEEDLE	14 G / 20CM	MBN1420
BIOPSY NEEDLE	16 G / 10CM	MBN1610
BIOPSY NEEDLE	16 G / 15CM	MBN1615
BIOPSY NEEDLE	16 G / 20CM	MBN1620
BIOPSY NEEDLE	18 G / 10CM	MBN1810
BIOPSY NEEDLE	18 G / 15CM	MBN1815
BIOPSY NEEDLE	18 G / 20CM	MBN1820

Mercury+™ Semi Automatic Biopsy Needle



Biopsy Needles are designed for the automatic capturing of High-Quality Tissue Samples with the Tru Cut Technique with Minimum Trauma to the patient.

MERCURY+™ SEMI AUTOMATIC BIOPSY NEEDLE

Type	Description	Product Code
BIOPSY NEEDLE	14 G / 10CM	MBNS1410
BIOPSY NEEDLE	14 G / 15CM	MBNS1415
BIOPSY NEEDLE	14 G / 20CM	MBNS1420
BIOPSY NEEDLE	16 G / 10CM	MBNS1610
BIOPSY NEEDLE	16 G / 15CM	MBNS1615
BIOPSY NEEDLE	16 G / 20CM	MBNS1620
BIOPSY NEEDLE	18 G / 10CM	MBNS1810
BIOPSY NEEDLE	18 G / 15CM	MBNS1815
BIOPSY NEEDLE	18 G / 20CM	MBNS1820

Easegun™ Biopsy Gun



Biopsy Gun is a fully-automatic cutting ease device, easy to install, special fixation handle & provides a high success rate in punctures. Core needle is available, is convenient for operate under Bustrasonic or CT. Needle point with echo-enhancement for accurate positioning under ultrasound.

EASEGUN+™ BIOPSY GUN

Type	Description	Product Code
BIOPSY GUN	14 G / 10CM	EGBG1410
BIOPSY GUN	14 G / 15CM	EGBG1415
BIOPSY GUN	14 G / 20CM	EGBG1420
BIOPSY GUN	16 G / 10CM	EGBG1610
BIOPSY GUN	16 G / 15CM	EGBG1615
BIOPSY GUN	16 G / 20CM	EGBG1620
BIOPSY GUN	18 G / 10CM	EGBG1810
BIOPSY GUN	18 G / 15CM	EGBG1815
BIOPSY GUN	18 G / 20CM	EGBG1820

SKINSTAP™

DISPOSABLE SKIN STAPLER



The Helping Hand Of Surgeon In Stitching

Size : 35 | Code : ST35W

- » SPECIALLY DESIGNED FOR EASE OF OPERATION
- » DISPOSABLE SINGLE USE PRODUCT
- » NO JAMMING /EASY OPERATING SYSTEM
- » VISIBLE CARTRIDGE TO CHECK REMAINING STAPLER PINS
- » BOLD MARKING AT 15/25/35 STAPLE ALIGNMENT (THE ASSISTANT OF SURGEON)
- » ONE CLICK FIRE

SKINSTAP™

DISPOSABLE SKIN STAPLER PIN REMOVER



Removal of Surgical Skin Staples

Ref. No. : SSPR

Advantages:

- » These staple removers are compatible with any brand of skin staple
- » They are quick and easy to use
- » They reduce pain and infection risk.
- » This staple remover is simple to use and require minimal maintenance.
- » Staple Remover is made from 100% pure Stainless Steel
- » Staple Remover is sterile and ready to use



STARKIT Manifold

High & Medium Pressure
Stopcocks and Manifolds
Withstand 500 psi

Medium & Low Pressure
Stopcocks and Manifolds
Withstand 250 to 500 psi

GANG	BODY	PRESSURE	TYPE	CATALOG CODE
2 PORT	FULL BODY	600 PSI	RIGHT ON	MNF2600RON
2 PORT	FULL BODY	600 PSI	RIGHT OFF	MNF2600ROFF
3 PORT	FULL BODY	600 PSI	RIGHT ON	MNF3600RON
3 PORT	FULL BODY	600 PSI	RIGHT OFF	MNF3600ROFF
2 PORT	HALF BODY	500 PSI	RIGHT ON	MNF2500RON
2 PORT	HALF BODY	500 PSI	RIGHT OFF	MNF2500ROFF
3 PORT	HALF BODY	500 PSI	RIGHT ON	MNF3500RON
3 PORT	HALF BODY	500 PSI	RIGHT OFF	MNF3500ROFF

Mercury+™

Bone Marrow Aspiration Needle



PRODUCT FEATURE:

- Extra sharp stylet point designed for quick and easy penetration
- Double cutting edges on the tapered distal cannula for superior coring
- Unique extraction cannula captures and retains marrow specimens
- Centimeter markings for estimated depth of penetration
- Ergonomic handle designed to minimize hand and arm fatigue
- Marked probe to verify specimen length before extraction

Ref. No. : MBNT1310

Length 5cm, 7cm, 10cm, 15cm

Sizes 8G, 10G, 11G, 13G, 14G, 15G

Y-Star

PTCA Y CONNECTOR



Y-Connector Push Click System

Y-Click Connector, provides an easy to use hemostatic device for both diagnostic and interventional procedures. This ergonomically designed device significantly reduces the blood loss during interventional procedures. Among the Y-Click most unique advantages are its self closing mechanism and semi -open position, as well as its one-handed operation.

Y-Connector Push Pull System

Y-Push Pull Connector, which is used for coronary intervention, Push Pull head knob, which ensures minimal blood and precise navigation of devices in the vasculature. A specially engineered valve with micro vertical slits which facilitate smooth manipulation of device nullify blood loss.

Y-Connector Touhy Borst System

Touhy Borst also know a Screw Type Y Connector, which is used for coronary intervention. It has a latest screw type head knob, which ensures minimal blood adjustable Thumb Wheel Mechanism prevent over tightening, loss of bloods and devices movement when turned. Allow for insertion of different size devices.

Y-Star PTCA Y Connector

Type	Description	Product Code
Y-CLICK SET	Click Type Y Connector Hemostatis with extension line + Torque Device+ insertion tool	YSTC9FA
PUSH PULL SET	Push Pull Y Connector Hemostatis with extension line + Torque Device + insertion tool	YSTPPS
TO UHY BORST	Screw Type Y Connector Hemostatis with extension line + Torque Device+ insertion tool	STRTB9F

Feather™

Inflation Device



Uses while performing balloon dilation procedures to inflate the balloon, monitor the pressure within the balloon & deflate the balloon. A luminescent analog pressure gauge, and an extremely comfortable handle.

FEATURES

- » High quality pressure sensing element makes Inflation Device pressure
- » Pressure reading highly accurate even at extremes of pressure.
- » Excellent graduation and error minimization for reading on grid and barrel
- » Excellent eye to hand coordination by 30 ATM/Bar angled analogue pressure gauge
- » Accurate pressure reading and high visibility.
- » Feather Inflation Device ensures accurate repeatability of the measurements for several times.
- » Lighter to handle and Easy to Operate

FEATHER™ INFLATION DEVICE

Type	Description	Product Code
INFLATION DEVICE	Feather Inflation Device 20ml 30atm/bar with Stopcock	FID2030
INFLATION DEVICE WITH KIT	Feather Inflation Device 20ml 30atm/bar with Stopcock	FIDK2030

Inflation device (gun-type)



KIT CONTAINS

- » Inflation Device
- » PTCA Y-Connector
- » Extension Line
- » Blunt Needle
- » Torque Device

FEATHER™ INFLATION DEVICE (GUN-TYPE)

Type	Description	Product Code
INFLATION DEVICE	Inflation Device Gun-Type 20ml 30atm/bar with Stopcock	FID2030GUN
INFLATION DEVICE WITH KIT	Inflation Device Gun-Type kit 20ml 30atm/bar with Stopcock	FIDK2030GUN

Pivot™

Pivot™ Introducer Sheath (Femoral/Transradial)



PRODUCT FEATURE

- » Smooth transition of guidewire-to-dilator and dilator-to-sheath facilitates easy access
- » Maintains uncompromised hemostasis
- » Small outside diameter and large inside diameter reduces the size of the access site without compromising ease of device passage

KIT CONTAINS

- » Introducer Sheath (Femoral / Transradial}
- » SS Guidewire
- » Introducer Needle
- » Dilator
- » Scalpel
- » Syringe with needle

PIVOT™ FEMORAL INTRODUCER SHEATH

Type	Description	Product Code
FEMORAL SHEATH	5Fr / Length 11cm	PIVF5011
FEMORAL SHEATH	6Fr / Length 11cm	PIVF6011
FEMORAL SHEATH	7Fr / Length 11cm	PIVF7011
FEMORAL SHEATH	8Fr / Length 11cm	PIVF8011

PIVOT™ TRANSRADIAL INTRODUCER SHEATH

Type	Description	Product Code
TRANSRADIAL SHEATH	5Fr / Length 7cm	PIVR5070
TRANSRADIAL SHEATH	6Fr / Length 7cm	PIVR6070
TRANSRADIAL SHEATH	7Fr / Length 7cm	PIVR7070
TRANSRADIAL SHEATH	8Fr / Length 7cm	PIVR8070



Star Band™

Radial Artery Compression Device

PRODUCT FEATURE

- » Transparency ensures complete visual control from start to finish
- » Dual compression balloons provide precise compression of the radial artery to ensure blood return-without compromising local nerve structure
- » Innovative design makes it easy to use

STARBAND™ RA COMPRESSION DEVICE

Type	Description	Product Code
CLEAR STRIP	20ML	S-RCD-20-CS

Shinewire™

PTFE Coated Guidewire



AVAILABLE ON VARIOUS TYPE OF GUIDEWIRE

- » POST COATED PTFE GUIDEWIRE
- » PRE COATED PTFE GUIDEWIRE
- » HYDROPHILIC COATED GUIDEWIRE
- » NITINOL CORE GUIDEWIRE
- » LUNDERQUIEST GUIDEWIRE
- » Efficient Filter for Blood Transfusion

ANGIOGRAPHY PTFE COATED GUIDEWIRE PRODUCT FEATURE:

- » Accurate Measurement for Catheter Tracking
- » Easy to insert and Removal
- » Smooth Tip for insertion
- » Smooth Advancer for Dispensing of Guidewire
- » Angle and Straight Tip
- » Kink Resistance
- » Safety Cover for Unwanted Hazard Damage
- » Variety of sizes, lengths and shapes.

SHINEWIRE™ PTFE COATED GUIDEWIRE

OD Size	Length	TIP	Description	Catalog Code
0.025"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW25150J
0.025"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW25150ST
0.032"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW32150J
0.032"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW32150ST
0.035"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW35150J
0.035"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW35150ST
0.038"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW38150J
0.038"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW38150ST
0.032"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW32260J
0.032"	260 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW32260ST
0.035"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW35260J
0.035"	260 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW35260ST
0.038"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW38260J
0.038"	260 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW38260ST

SHINEWIRE™ is a range of complete guidewire, intended for use of introduction spring winding, standard & special sizes, small diameter less grinding, specially tip forming, J-Tip, Straight Tip, Angle & other shape & depth marking.

Shinewire™

Hydrophilic Guidewire



PRODUCT FEATURE:

The stainless steel/nitinol guidewire has a hydrophilic coating and is available in multiple sizes.

Hydrophilic coating that provides ultra slippery for maximized catheter/stent track ability.

Ultra-elastic kink – resistant Nitinol core providing good torqueability.

Available with floppy straight tip, and angled tip for negotiating awkward located ureteral orifices.

Excellent radiopacity for clear visualisation under x-ray.

SHINEWIRE™ HYDROPHILIC GUIDEWIRE

OD Size	Length	TIP	Description	Catalog Code
0.025"	150 CM	Angle "J"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW25150JH
0.025"	150 CM	Straight "ST"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW25150STH
0.032"	150 CM	Angle "J"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW32150JH
0.032"	150 CM	Straight "ST"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW32150STH
0.035"	150 CM	Angle "J"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW35150JH
0.035"	150 CM	Straight "ST"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW35150STH
0.038"	150 CM	Angle "J"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW38150JH
0.038"	150 CM	Straight "ST"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW38150STH
0.032"	260 CM	Angle "J"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW32260JH
0.032"	260 CM	Straight "ST"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW32260STH
0.035"	260 CM	Angle "J"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW35260JH
0.035"	260 CM	Straight "ST"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW35260STH
0.038"	260 CM	Angle "J"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW38260JH
0.038"	260 CM	Straight "ST"	3MM FIXED CORE, HYDROPHILIC COATED GUIDEWIRE	SW38260STH



Shinewire™

Zebra Guidewire

Product Feature

Ungsten-polyurethane Coating on distal 60mm

Designed to reduce surface friction for smooth entry

Advancement and withdrawal with precise proximal handling

OD Size	Length	TIP	Catalog Code
0.032"	150 CM	Angle "J"	SW32150JZ
0.032"	150 CM	Straight "ST"	SW32150STZ
0.035"	150 CM	Angle "J"	SW35150JZ
0.035"	150 CM	Straight "ST"	SW35150STZ
0.038"	150 CM	Angle "J"	SW38150JZ
0.038"	150 CM	Straight "ST"	SW38150STZ
0.032"	260 CM	Angle "J"	SW32260JZ
0.032"	260 CM	Straight "ST"	SW32260STZ
0.035"	260 CM	Angle "J"	SW35260JZ
0.035"	260 CM	Straight "ST"	SW35260STZ

STARKIT

Pressure Monitoring Line



Pressure Monitoring Line is non expandable PVC Tubing with a rigid wall & non rigid wall thickness which will ensure high quality wave forms with improved clarity. Available with both male-to-male & male-to-female connectors from 10cm to 200cms in length.

PRODUCT FEATURE

- » Small bore high pressure extension line.
- » Suitable for high pressure monitoring
- » Provided with male luer lock and female luer lock
- » Luer lock compatible with all standard equipment.
- » Luer lock connectors provide secure fitting.

STARKIT PRESSURE MONITORING LINE

Type	Length	Product Code
PRESSURE MONITORING LINE	50CM	PML50
PRESSURE MONITORING LINE	100CM	PML100
PRESSURE MONITORING LINE	150CM	PML150
PRESSURE MONITORING LINE	200CM	PML200

STARKIT

STARKIT Extension Line



Extension Line with 3way stopcock is to be used with any of the Various Infusion or transfusion devices in order to allow for attachment with any special or general purpose medical device. In order to improve ease of use also to provide an alternative channel for introduction of medicine to the patient.

STARKIT EXTENSION LINE

Type	Description	Product Code
EXTENSION LINE WITH 3 WAY STOPCOCK	10 CM	EXL10
EXTENSION LINE WITH 3 WAY STOPCOCK	25 CM	EXL25
EXTENSION LINE WITH 3 WAY STOPCOCK	50 CM	EXL50
EXTENSION LINE SPIRAL-PE	200 CM	SPE 200

STARKIT

High Pressure Line/ Braided Icsh Pressure Line

High Pressure Monitoring Line is non expandable PVC Tubing with a rigid wall & non rigid wall thickness which will ensure high quality wave forms with improved clarity. Available with both male-to-male & male-to-female connectors from 10cm to 200cms in length.



STARKIT HIGH PRESSURE LINE

Type	Description	Product Code
HIGH PRESSURE LINE	50 CM	HPL50HP
HIGH PRESSURE LINE	100 CM	HPL100HP
HIGH PRESSURE LINE	120 CM	HPL120HP

STARKIT BRAIDED HIGH PRESSURE LINE

Type	Description	Product Code
BRAIDED HIGH PRESSURE LINE	50 CM	HPL50HPB
BRAIDED HIGH PRESSURE LINE	100 CM	HPL100HPB
BRAIDED HIGH PRESSURE LINE	120 CM	HPL120HPB

STARKIT

Control Syringe



PRODUCT FEATURE

- » Transparent cylinder enhances visual effect of gauge mark and contrast level
- » Special designed Silicone piston head and lubrication technology
- » Easy to move plunger in cylinder and generate high pressure resistance
- » Excellent eye to hand coordination
- » Lighter to handle and Easy to Operate

STARKIT CONTROL SYRINGE

Type	Description	Product Code
MALE LUER LOCK	10 ML	CONS10
MALE LUER LOCK	12 ML	CONS12

Pressure Monitoring Kit



Type	PRESSURE MONITORING KIT
	PRESSURE MONITORING LINE
Size	SINGLE
	DOUBLE
Product Code	PMK-S
	PMK-D



PTCA Balloon Catheter

DESCRIPTION

Feather Balloon Catheter technologies deliver the exceptional performance needed to succeed in demanding cases. Experience the ultra-low profiles of FEATHER BALLOON CATHETER and how a transitionless design can provide exceptional control when accessing lesions.

Ordering Information		Semi Compliant Balloon Dilatation Catheter			
Product	Balloon diameter (MM)	10	12	15	20
Feather PTCA Balloon Catheter	1.5	FPTCABC 1015	FPTCABC 1215	FPTCABC 1515	FPTCABC 2015
	2.0	FPTCABC 1020	FPTCABC 1220	FPTCABC 1520	FPTCABC 2020
	2.25	FPTCABC 10225	FPTCABC 12225	FPTCABC 15225	FPTCABC 20225
	2.5	FPTCABC 1025	FPTCABC 1225	FPTCABC 1525	FPTCABC 2025
	3	FPTCABC 1030	FPTCABC 1230	FPTCABC 1530	FPTCABC 2030

Ordering Information		Non Compliant Balloon Dilatation Catheter				
Product	Balloon diameter (MM)	8	10	12	15	20
Feather PTCA Balloon Catheter	1.5	FPTCANC 815	FPTCANC 1015	FPTCANC 1215	FPTCANC 1515	FPTCANC 2015
	2.0	FPTCANC 820	FPTCANC 1020	FPTCANC 1220	FPTCANC 1520	FPTCANC 2020
	2.25	FPTCANC 8225	FPTCANC 10225	FPTCANC 12225	FPTCANC 15225	FPTCANC 20225
	2.5	FPTCANC 825	FPTCANC 1025	FPTCANC 1225	FPTCANC 1525	FPTCANC 2025
	2.75	FPTCANC 875	FPTCANC 1075	FPTCANC 1275	FPTCANC 1575	FPTCANC 2075
	3.0	FPTCANC 830	FPTCANC 1030	FPTCANC 1230	FPTCANC 1530	FPTCANC 2030
	3.25	FPTCANC 8325	FPTCANC 10325	FPTCANC 12325	FPTCANC 15325	FPTCANC 20325
	3.5	FPTCANC 835	FPTCANC 1035	FPTCANC 1235	FPTCANC 1535	FPTCANC 2035
	3.75	FPTCANC 8375	FPTCANC 10375	FPTCANC 12375	FPTCANC 15375	FPTCANC 20375
	4.0	FPTCANC 840	FPTCANC 1040	FPTCANC 1240	FPTCANC 1540	FPTCANC 2040

Angiographic & Diagnostic Catheter

DESCRIPTION

Flextrusion technology for a smooth transition from stiff proximal shaft to soft distal segment.

Flextrusion Technology


- » Soft distal segment is designed to reduce potential for vessel trauma, allowing safe engagement and coaxial alignment in the vessel
- » Smooth transition is designed to allow for better conformity to the anatomy and more controlled distal torque response

Design and Performance Dynamics

- » Firm Catheter shaft for users preferring a passive diagnostic catheter
- » Variety of curve styles
- » Soft primary curve to help minimize vessel trauma

Anatomy Specific Designs

- » Left and right catheters are designed differently to meet the unique requirements of the left and right coronaries
- » Left catheter is designed for outstanding engagement
- » Right catheter is designed for excellent distal torque response when engaging the right coronary



Ordering Information

Units per box

Product code 5 FR	Product code 6 FR	Description	Shape name	Shape code	Length (CM)	Small	Medium
FAD5JR3100	FAD6JR3100	Feather Angiographic & Diagnostic Catheter	Judkins Right	JR 3.0	100	5 PCS	100 PCS
FAD5JR35100	FAD6JR35100		Judkins Right	JR 3.5	100	5 PCS	100 PCS
FAD5JR40100	FAD6JR40100		Judkins Right	JR 4.0	100	5 PCS	100 PCS
FAD5JL3100	FAD6JL3100		Judkins Left	JL 3.0	100	5 PCS	100 PCS
FAD5JL35100	FAD6JL35100		Judkins Left	JL 3.5	100	5 PCS	100 PCS
FAD5JL40100	FAD6JL40100		Judkins Left	JL 4.0	100	5 PCS	100 PCS
FAD5AL1001	FAD6AL1001		Amplatz	AL I	100	5 PCS	100 PCS
FAD5AL1002	FAD6AL1002		Amplatz	AL II	100	5 PCS	100 PCS
FAD5AR1001	FAD6AR1001		Amplatz	AR I	100	5 PCS	100 PCS
FAD5AR1002	FAD6AR1002		Amplatz	AR II	100	5 PCS	100 PCS
FAD5PIG110	FAD6PIG110		Pigtail	Pigtail	110	5 PCS	100 PCS
FAD5PIG110R145	FAD6PIG110R145		Pigtail	Pigtail	145	5 PCS	100 PCS
FAD5PIG110R155	FAD6PIG110R155		Pigtail	Pigtail	155	5 PCS	100 PCS
FAD5RT100	FAD6RT100		Tiger	RT	100	5 PCS	100 PCS

Guiding Catheter

DESCRIPTION


ST. STONE guiding catheter is intended to be used in the coronary or peripheral vascular system.

Advanced Platform Designed for Multiple Interventional Approaches

- » Designed for radial and femoral approaches
- » Soft distal segment enables you to actively engage the guide for backup support
- » Full-Wall Technology construction provides kink resistance and stable torque control
- » Full Range of Traditional and Specialty Curves

Anatomy Specific Designs

- » Left and right catheters are designed differently to meet the unique requirements of the left and right coronaries
- » Left catheter is designed for outstanding engagement
- » Right catheter is designed for excellent distal torque response when engaging the right coronary



Ordering Information

Units per box

Product code 5 FR	Product code 6 FR	Description	Shape name	Shape code	Length (CM)	Small	Medium
STSGC5JR31000	STSGC6JR31000	ST. STONE Guiding Catheter	Judkins Right	JR 3.0	100	5 PCS	100 PCS
STSGC5JR35100	STSGC6JR35100		Judkins Right	JR 3.5	100	5 PCS	100 PCS
STSGC5JR40100	STSGC6JR40100		Judkins Right	JR 4.0	100	5 PCS	100 PCS
STSGC5JL3100	STSGC6JL3100		Judkins Left	JL 3.0	100	5 PCS	100 PCS
STSGC5JL35100	STSGC6JL35100		Judkins Left	JL 3.5	100	5 PCS	100 PCS
STSGC5JL40100	STSGC6JL40100		Judkins Left	JL 4.0	100	5 PCS	100 PCS
STSGC5AL1001	STSGC6AL1001		Amplatz	AL I	100	5 PCS	100 PCS
STSGC5AL1002	STSGC6AL1002		Amplatz	AL II	100	5 PCS	100 PCS
STSGC5AR1001	STSGC6AR1001		Amplatz	AR I	100	5 PCS	100 PCS
STSGC5AR1002	STSGC6AR1002		Amplatz	AR II	100	5 PCS	100 PCS
STSGC5PIG110	STSGC6PIG110		Pigtail	Pigtail	110	5 PCS	100 PCS
STSGC5PIG110R145	STSGC6PIG110R145		Pigtail	Pigtail	145	5 PCS	100 PCS
STSGC5PIG110R155	STSGC6PIG110R155		Pigtail	Pigtail	155	5 PCS	100 PCS
STSGC5RT100	STSGC6RT100		Tiger	RT	100	5 PCS	100 PCS

Aspiration Catheter

Item Specifications

Choice of three sizes (6 Fr, 7 Fr catheter compatibility) for different coronary and peripheral application



Ordering Information

Product	Product code	Size	
Feather Aspiration Catheter	FAC670	6Fr	I.D. ≥ 0.070"/ 1.78mm
	FAC780	7Fr	I.D. ≥ 0.080"/ 2.03mm

General Specifications

Usable length	140 cm
Distal tip hole length	4 mm for 6 and 7 Fr
Rapid exchange Segment	23 cm
Radiopaque marker	mm located at 40m from the tip
Positioning marker	10 cm single white mark located at 90 cm from distal tip
Guidewire compatibility	Maximum diameter 0.014" (0.36 mm)
Coating	Hydrophilic

Arterial Line Catheter Kit

DESCRIPTION

- » Monitor invasive arterial blood pressure.
- » Collect blood samples.
- » Infusion drug and solution.
- » The tube is good biocompatibility and it is convenient for catheter placement due to the stiff catheters.
- » Standard Seldinger Technique.
- » Catheter and guidewire are protected by sheath.
- » Nitinol guidewire is available.
- » A straight introducer needle configuration is available.

Set Contents

- » Catheter.
- » Naturally echogenic needle.
- » Safety guidewire with a straight, flexible tip.
- » Low volume pressure tubing with arterial bio-connector or self flush

Ordering Information

Product	Product code	Catheter Diameter	Catheter Length
ST. STONE Arterial Line Catheter Kit	STSAC18G	18G	5-50cm
	STSAC20G	20G	5-50cm
	STSAC22G	22G	5-50cm





Urostar™

Double J Stent (Ureteral Stent)

Used to temporary internal drainage of urine from the ureteropelvic junction to the bladder. Stents are available in White, Blue & Yellow colors. Stents are available with guide wire as a kit.

Size : 3 Fr, 3.5 Fr, 3.7 Fr, 3.8 Fr, 4 Fr
4.5 Fr, 4.7 Fr, 4.8 Fr, 5 Fr, 5.5 Fr,
6 Fr, 7 Fr, 8 Fr

Length : 8 cm - 32 cm

Type : Both end open and one end close (Double J), Double Pigtail, Multi loop (one end & both end),

FOLEY BALLOON CATHETER



- » 2-Way and 3-Way Foley's Balloon Catheter.
- » Made up of latex bonded with silicone elastomer.
- » Coned, soft closed tip facilitates ease penetration.
- » Large, distally located drainage eyelets enable efficient, trouble-free drainage.
- » Syringe luer operated non-return valve facilitates hassle free inflation and deflation of balloon.
- » Symmetrical large capacity balloon ensuring good sphincter action, preventing any bladder leakage.
- » Colour coded for instant size identification.
- » Sterile, individually packed in paper pouch.

THREE WAY STOP COCK

- Pressure Handling Capability : 4.5 bar
- Universal 6% taper to make it compatible with wide range of other medical equipment.
- Arrow symbols to indicate the direction of flow
- Minimum priming volume required for correct drug administration.
- Available in Lipid Resistant / Non Lipid resistant varieties.
- Tap available : Blue, Red, White



STARSET (I.V INFUSION SET) with Airvent / without Airvent / with Micro Drip

- I.V. Infusion Set with Airvent / without Airvent**
 - Smooth roller clamp for controlling flow rate.
 - Approximately 20 drops/ml.
- I.V. Infusion Set with Micro Drip**
 - I.V. infusion set for pediatric use.
 - Sharp spike for ease and quick penetration.
 - Approximately 60 drops/ml.



PRESSURE MONITORING

Line & Extension Line

- Transparent Pressure Monitoring Line (with colour coded stickers)
- 6% male & female luer locks.
- Kink resistant PVC tubing.
- High Pressure tube dia : Int : (1.0mm) Ext.(3.0mm) & pressure handling capacity : 800 psi
- Low Pressure tube dia : Int : (3.0mm) Ext.(4.1mm) & pressure handling capacity : 60 psi
- Available in different sizes (cm) :25,50,100,150,200



BLOOD TRANSFUSION SET with Airvent / without Airvent

- For transfusion of blood or blood components.
- Transparent & flexible drip chamber.
- Approximately 20 drops/ml
- Soft and kink resistant PVC tubing with 200 micron blood filter.
- Also available in DEHP Free.

Further option available:



THREE WAY STOP COCK With Extension Tube

- Three Way Stop Cock at one end & male luer lock at the other end of extension tube.
- High quality kink resistant tube that provides smooth flow
- Universal 6% taper to make it compatible with wide range of other medical equipment.
- Arrow symbols to indicate the direction of flow
- Minimum priming volume required for correct drug administration.
- Tube length available (cm): 10, 25, 50, 80, 100,150, 200



NEEDLE FREE EXTENTION LINE (Mono, Duo & Trio Lines)

- Needle Free Technology to reduce bacterial contamination and improve patient comfort
- Rotating Luer lock for patient comfort
- Low priming volume
- DEHP Free PVC TUBE



Oxygen Mask Kit

Oxygen Mask

- **Oxygen Mask** is designed for convenient oxygen therapy.
- Star lumen tube with 200cm length.
- Size available : Adult, Pediatric, Infants.



LUNG EXERCISER Respicare

Lung Exerciser with Three Ball Model

- Innovative system to exercise respiration through inspiration.
- Specially designed with 3 stage chambers to provide more efficient exercise to patient at a step up basis.
- Also available in single ball model



Nebuliser Mask Kit

Nebuliser Mask

- Soft, clear aerosol mask with anatomical form is ideal for long term use.
- Star lumen tube with 200cm length.
- Size available : Adult, Pediatric.



HME FILTER

- The HME filter is used on patient breathing circuits to avoid the potential for any cross contamination between the patient and the machine.
- Dimensions: 77.0mm X Ø58.5mm
- Weight: 27.0gm (approx)
- Effective filtration area: 27.3cm²



OEM COMPONENT BULK / STERILE & NON-STERILE



Spirometer



HME Filter



Ventilator Circuit




Catheter Mount



Central Venous Catheter & Kit



Epidural Catheter & Kit



Haemodialysis Catheter & Kit



Blood Line Set for Haemodialysis



Dialysis Dressing Kit



Angiography / Introducer Needle



Manifold 3 Way 500 PSI



Manifold 2 Way 500 PSI



Pressure Transducer Monitoring Kit



Suction Catheter



Fistula Needle Top Part



Manifold 3 Way Right On 600 PSI

OEM COMPONENT BULK / STERILE & NON-STERILE



Minicap with Povidine Iodine Solution



Titanium Adaptor



Transfer Set Cap for Dialysis



Spinal Needle



Epidural Needle, Catheter & Kit



Control Syringe 10ml & 12ml



3 Way Stopcock



Skin Stapler



Extension Line with 3 Way Stopcock



Guiding Syringe



PTCA Y-Connector



Biopsy Gun



Scalp Vein Set



IV Cannula




Transducer Protector

OEM COMPONENT BULK / STERILE & NON-STERILE



Guidewire
(Stainless Steel, PTFE
Coated & Nitinol)




Introducer Sheath
(Femoral & Radial)



Pressure Monitoring Line



Intravenous Set



Needle Free Extension Line



Chest Drainage Catheter & Kit



Torque Device



Bone Marrow Biopsy Needle



Manifold 3 Way Right Off 600 PSI



AV Fistula



Inflation Device Plunger Type



Inflation Device Gun Type



Manufacturing Unit:

ST. STONE MEDICAL DEVICES PRIVATE LIMITED
A - 8, Kuraopokpi industrial Estate, Thoubal (kakching)
Imphal, Manipur-India

Corporate Office :

ST. STONE MEDICAL DEVICES PRIVATE LIMITED
A-80, 2nd Floor, DDA Shed, Block A, Okhla Phase 2,
Okhla Industrial Estate, New Delhi - 110020
Email: info@stsmicro.com/stsmicro@hotmail.com

ISO 13485, ISO 14971, CE, ISO 9001, WHO: GMP

Creating Global Milestone In Healthcare

www.stsmicro.com